

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) 2020/878 Version 2.1 Revision date 24-12-2023 Printdate 24-12-2023

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| 1.1 Product Identifier | |
|------------------------|---|
| Product name: | Neomeris Cleaning solution for pH and ORP electrodes (Pepsin) – probe cleaner |
| Product number(s): | 890778, 890779, 880780, Neomeris Protein Cleaner A 70ml, Neomeris Protein Cleaner A 250ml, Neomeris Protein Cleaner A 500ml |
| Supplier: | Gebrüder Heyl Vertriebsgesellschaft für innovative Wasseraufbereitung mbH |
| REACH Number: | A registration number is not, according to the manufacturer, available for this substance as the substance or use, except for registration for the annual volume does not require a registration or the registration is equipped with a later registration deadline. |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: Use as laboratory reagent

1.3 Details of the supplier of the safety data sheet

Supplier:

Gebrüder Heyl Vertriebsgesellschaft für innovative Wasseraufbereitung mbH Max-Planck-Str. 16 31135 Hildesheim Deutschland Telefone: +49 (0) 5121-7609-0 E-mail address: vertrieb@heylneomeris.de

1.4 Emergency telephone number

GIZ-Nord Poisons Centre +49 (0)551-19240

Solely intended to inform professional caregivers in acute poisoning

2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) Nr 1272/2008

2.2 Label elements according to Directive (EC) Nr 1272/2008



Signal words:

Warning



| | SAFETY DATA SHEET (SDS) | www.neomeris.de | |
|---|--|-----------------|--|
| Hazard statements: | H314 - Causes severe skin burns and eye damage Contains Pepsin EUH208 - May produce an allergic reaction EUH210 - Safety data sheet available on request | | |
| Precautions statements: | EUH210 - Safety data sheet available on request P280 - Wear protective gloves/protective clothing/eye protection/face protection P260 - Do not breathe dust/fume/gas/mist/vapors/spray P321 - Specific treatment (see supplemental first aid instructions on this label) P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P280 - Wear eye protection/ face protection P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician P202 - Do not handle until all safety precautions have been read and understood | | |
| Special labelling Text for labelling: | Restricted to professional users. | | |

2.3 Other hazards

Splashing may cause eye irritation. Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment: No information available

3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

No information available

3.2 Mixtures

| Component | EC-No. | CAS-No. | Weight % | DSD Classification – 67/548/EEC | CLP Classification – Regulation (EC No. 1272/2008 |
|-------------------|-----------|-----------|-----------|---------------------------------------|---|
| Water | 23-791-2 | 7732-18-5 | 90 – 100% | - | - |
| Hydrochloric Acid | 231-595-7 | 7647-01-0 | <1% | N.A. | Met. Corr. 1; Skin Corr. 1B; STOT SE 3; H290, H314, H335 |
| Pepsin | 232-629-3 | 9001-75-6 | 0 - 1% | Xi; R36/37/38 R42 | Skin Irrit. 2; Eye Irrit. 2; Resp. Sens. 1; STOT SE 3; H315, H319, H334, H335 |
| Methylparaben | 202-785-7 | 99-76-3 | 0 – 1% | - | - |



4: FIRST AID MEASURES

4.1 Description of first aid measures

| General Advice: Inhalation: | Use first aid treatment according to the nature of the injury. For further assistance, contact your local Poison Control Center. Show this safety data sheet to the doctor in attendance. Move to fresh air. If symptoms persist, obtain medical attention. |
|--------------------------------|--|
| Skin Contact: | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. |
| Eye Contact: | In case of eye contact, rinse immediately with plenty of water for at least 15 minutes. If symptoms persist, obtain medical attention. |
| Ingestion: | Clean mouth with water and drink afterwards plenty of water. After ingestion of high quantities: Induce vomiting. If symptoms persist, call a physician or Poison Control Center immediately. |

- **4.2 Most important symptoms and effects, both acute and delayed** No information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No information available.

5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Evacuate personnel to safe areas.

6.2 Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Prevent further leakage or spillage if safe to do so. Special danger of slipping by leaking/spilling product.



6.4 Reference to Other Sections

For additional waste treatment information, see section 13.

7: HANDLING AND STORAGE

7.1 Precautions for safe handling

To avoid risks to human health and the environment, comply with the instructions for use. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Ensure adequate ventilation, especially in confined areas.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Keep away from direct sunlight.

7.3 Specific end use(s)

Some of the applications mentioned in section 1.2 No other applications have been agreed

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

| CAS No. | Designation | Туре | Limits |
|-----------|-------------------|-------------------------|---|
| 7647-01-0 | Hydrochloric acid | Europe: IOELV: STEL | 15 mg/m ³ ; 10 ppm (Hydrogen chloride) |
| | | Europe: IOELV: TWA | 8 mg/m ³ ; 5 ppm (Hydrogen chloride) |
| | | Great Britain: WEL-STEL | 8 mg/m ³ ; 5 ppm (gas and aerosol mists) |
| | | Great Britain: WEL-TWA | 2 mg/m ³ ; 1 ppm (gas and aerosol mists) |
| | | Ireland: 15 minutes | 15 mg/m³; 10 ppm |
| | | Ireland: 8 hours | 8 mg/m ³ ; 5 ppm |

8.2 Exposure controls

Engineering Measures

Use in accordance with current rules and practices with regard to industrial hygiene and safety. Wash hands before breaks and at the end of the working day. Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protective equipment

Eye/face Protection

Face protection and safety glasses. Use facial and / or eye protection tested and approved by official institutions such as NIOSH (US) or EN 166 (EU).

Skin and body protection

Handle with gloves. Inspect gloves prior to use. Pull gloves neatly out without touching the outside with bare hands. Dispose gloves immediately according to the applicable laboratory regulations. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686 / EEC and the standard EN 374 derived from it. Full contact material: Nitrile rubber Minimum layer thickness: 0.11 mm Breakthrough time: 480 min.



SAFETY DATA SHEET (SDS)

www.neomeris.de

Respiratory Protection

Respiratory protection must be worn whenever the WEL levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Prevent product from entering drains.

9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| Clear liquid | | | |
|------------------------------|--|--|--|
| None | | | |
| No information available | | | |
| at 20°C pH 1 – 1.5 | | | |
| No information available | | | |
| at approx. 100°C | | | |
| No information available | | | |
| at 20°C approx. 1.0 g/ml | | | |
| Soluble | | | |
| No information available | | | |
| 9.2 Other safety information | | | |
| No information available | | | |
| | | | |



www.neomeris.de

| Auto-ignition temperature: | No information available |
|----------------------------|--------------------------|
| Solid content: | 0.9 - 1.9 % |
| Water content: | 98.1 - 99.1 % |
| Evaporation rate: | No information available |

10: STABILITY AND REACTIVITY

10.1 Reactivity

No information available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions None under normal processing

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Metals

10.6 Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Acute Toxicity: | No information available |
|------------------------------------|--------------------------|
| Skin Corrosion/Irritation: | No information available |
| Serious eye damage/eye irritation: | No information available |
| Sensitization: | No information available |
| Carcinogenic effects: | No information available |
| Reproductive toxicity: | No information available |
| Mutagenic Effects: | No information available |
| STOT - single exposure | No information available |
| STOT - repeated exposure | No information available |
| Aspiration hazard | No information available |
| Additional Information: | No information available |

NEOMERIS - Cleaning solution for pH- and ORP-electrodes (Pepsin) - electrode cleaner - cleaner A solution



11.2 Information on other hazards

Endocrine disrupting properties:

Other information:

No information available

No information available

12: ECOLOGICAL INFORMATION

12.1 Toxicity

No information available

- **12.2 Persistence and degradability** No information available
- **12.3 Bioaccumulative potential** No information available
- **12.4 Mobility in soil** No information available
- **12.5 Results of PBT and vPvB assessment** No information available
- **12.6 Endocrine disrupting properties** No information available
- **12.7 Other adverse effects** No information available

13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Disposal should be in accordance with applicable regional, national and local laws and regulations. Other organic solvents, washing liquids and mother liquors

Contaminated Packaging

Dispose of as unused product.

14: TRANSPORT INFORMATION

14.1 UN-number

ADR/RID: UN1789

IMDG: UN1789

IATA: UN1789

14.2 Proper Shipping Name

| | SAFETY DATA SHEET (SDS) | | www.neomeris.de |
|--|-------------------------|--|--|
| 14.3 Hazard Class ADR/RID: 8 Code C1 | IMDG: 8 Subrisk - | | IATA: 8 |
| 14.4 Packing Group ADR/RID: III | IMDG: III | | IATA: III |
| 14.5 Environmental hazard ADR/RID: no | IMDG Marine | e pollutant: no | IATA: no |
| 14.6 Special Provisions Land transport (ADR/RID) Warning board: Hazard label: Special provisions: Limited quantities: EQ: Contaminated packaging - Instructi Special provisions for packing toge Portable tanks - Instructions: Portable tanks - Special provisions Tank coding: Tunnel restriction code: | ther: | ADR/RID: Kemmler- 8 520 5 L E1 P001 IBC03 LP01 R MP19 T4 TP1 L4BN E | number 80, UN number UN 1789 001 |
| Sea transport (IMDG) EmS: Special provisions: Limited quantities: EQ: Contaminated packaging - Instruction Contaminated packaging - Provision IBC - Instructions: IBC - Provisions: Tank instructions - IMO: Tank instructions - UN: Tank instructions - Provisions: Stowage and handling: Properties and observations: | | hydrogenchloride. H | aqueous solution of the gas ighly corrosive to most metals. n eyes and mucous membranes. |
| Segregation group: | | 1 | reyes and mucous membranes. |
| Air transport (IATA) Hazard: EQ: Passenger Ltd.Qty.: Passenger: Cargo: Special Provisioning: ERG: | | Corrosive E1 Pack.Instr. Y841 - M Pack.Instr. 852 - Ma Pack.Instr. 856 - Ma A3 A803 8L | x. Net Qty/Pkg. 5 L |

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC-code No information available



15: REGULATORY INFORMATION

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Use restriction according to REACH annex XVII, no.: 3, 30, 75 This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: Disodium tetraborate decahydrate

15.2 Chemical safety assessment

For this product no chemical safety assessment has been carried out.

16: OTHER INFORMATION

Full text of H-phrases referred to under sections 2 and 3.

R42 - May cause sensitization by inhalation

- R34 Causes burns
- R35 Causes severe burns
- R23 Toxic by inhalation
- R37 Irritating to respiratory system
- R36/37/38 Irritating to eyes, respiratory system and skin

Full text of H-phrases referred to under sections 2 and 3.

- H290 = Corrosive to metals
- H314 = Causes severe skin burns and eye damage
- H315 = Causes skin irritation
- H319 = Causes severe eye irritation
- H334 = May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 = May cause respiratory irritation

Disclaimer:

Copyright 2023 Hydrocal B.V. License for unlimited copies for use within the company only. The above information is believed to be correct but does not claim to be exhaustive and should be used only as a guide.

Hydrocal shall not be liable for any damage resulting from handling or from contact with the above product. See our price list for further sales conditions.