Revision: 15.04.2024



Analysentechnik GmbH & Co. KG Wasser ist unser Element Wasser ist unser Element Analysentechnik GmbH & Co. KG Wasser ist unser Element Safety data sheet according to Regulation (EC) No 1907/2006

Printing date 15.04.2024

Version number 16 (replaces version 14)

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: Durognost SR 1 Indikator
- · UFI: D6UQ-H4VJ-1001-8U2K
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the preparation:

Reagent for analysis

EuPCS: PC-TEC-19 Reagents and laboratory chemical

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Gebrüder Heyl

Analysentechnik GmbH & Co. KG

Orleansstraße 75 b

D-31135 Hildesheim

Further information obtainable from: product safety department

· 1.4 Emergency telephone number:

Giftinformationszentrum Nord

Phone +49 (0) 551 19240

Phone +49 (0) 5121 2893390 Fax +49 (0) 5121 2893367 E-mail info@heylanalysis.de Internet www.heylanalysis.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



· Signal word Warning

(Contd. on page 2)



Safety data sheet Wasser ist unser Element according to Regulation (EC) No 1907/2006

Printing date 15.04.2024 Version number 16 (replaces version 14)

Trade name: Durognost SR 1 Indikator

(Contd. of page 1)

Revision: 15.04.2024

- · Hazard statements Void
- · Precautionary statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- · Description:

Mixture of substances listed below with nonhazardous additions according to Regulation (EC) No

· Dangerous components:		
CAS: 25322-68-3 NLP: 500-038-2 Reg.nr.: 01-2119958801-32	Polyethylene glycol substance with a Community workplace exposure limit	50 – 100%
CAS: 110-97-4 EINECS: 203-820-9 Index number: 603-083-00-7 Reg.nr.: 01-2119475444-34	1,1'-iminodipropan-2-ol ◆ Eye Irrit. 2, H319	10 – 25%
CAS: 102-71-6 EINECS: 203-049-8 Reg.nr.: 01-2119486482-31	Triethanolamine substance with a Community workplace exposure limit	2.5 – 10%
CAS: 60-00-4 EINECS: 200-449-4 Index number: 607-429-00-8 Reg.nr.: 01-2119486399-18	edetic acid © Eye Irrit. 2, H319 substance with a Community workplace exposure limit	1 – 2.5%
CAS: 547-58-0 EINECS: 208-925-3	sodium 4-(4-dimethylaminophenylazo) benzenesulphonate	≤1%

- · SVHC Not applicable.
- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Safety data sheet Wasser ist unser Element according to Regulation (EC) No 1907/2006

Printing date 15.04.2024

Version number 16 (replaces version 14)

Trade name: Durognost SR 1 Indikator

(Contd. of page 2)

Revision: 15.04.2024

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

- · Recommended storage temperature: 15 25 °C
- Storage class:

Storage class 10: Combustible liquids that cannot be assigned to any other storage classes (TRGS

· 7.3 Specific end use(s) No further relevant information available.

DE EN

(Contd. on page 4)



Analysentechnik GmbH & Co. KG Wasser ist unser Element Wasser ist unser Element Analysentechnik GmbH & Co. KG Wasser ist unser Element

Printing date 15.04.2024

Version number 16 (replaces version 14)

Trade name: Durognost SR 1 Indikator

(Contd. of page 3)

Revision: 15.04.2024

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:				
CAS: 25322-68-3 Polyethylene glycol				
AGW (Germany)	Long-term value: 200 E mg/m³ 2(II);DFG, Y			
CAS: 102-71-6 Triethanolamine				
AGW (Germany)	Long-term value: 1 E mg/m³ 1(I);DFG, Y			

CAS: 60-00-4 edetic acid

MAK (Germany) vgl.Abschn.llb

Regulatory information

AGW (Germany): TRGS 900

MAK (Germany): MAK- und BAT-Liste

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:

Use suitable respiratory protective device when aerosol or mist is formed. Filter: Type A In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

Wear gloves according to EN 374.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

Value for the permeation: Level = 6 (> 480 min)

· As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

(Contd. on page 5)



Analysentechnik GmbH & Co. KG Wasser ist unser Element Masser ist unser Element Analysentechnik GmbH & Co. KG Wasser ist unser Element

Printing date 15.04.2024 Version number 16 (replaces version 14) Revision: 15.04.2024

Trade name: Durognost SR 1 Indikator

(Contd. of page 4)

Recommended thickness of the material: \geq 0.12 mm Value for the permeation: Level = 2 (> 30 min)

· Eye/face protection



Tightly sealed goggles according to EN 166

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidGreen

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not applicable.

· Lower and upper explosion limit

Lower:
Upper:
Not determined.
Flash point:
Undetermined.
Auto-ignition temperature:
Not determined.
Not determined.
Not determined.
Not determined.

· pH (100 g/l) at 20 °C 10.1

· Viscosity:

• Kinematic: Not determined. • Dynamic: Not determined.

Solubility

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value)Not determined.Vapour pressure:Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Solvent content:

· VOCV (CH) 0.0 %

Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes
• Explosives Void
• Flammable gases Void
• Aerosols Void

(Contd. on page 6)



Safety data sheet Wasser ist unser Element according to Regulation (EC) No 1907/2006

Printing date 15.04.2024 Version number 16 (replaces version 14)

Trade name: Durognost SR 1 Indikator

(Contd. of page 5)

Revision: 15.04.2024

		(Contd. of page 5)
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

Exothermic neutralisation reaction with acids.

Under certain conditions possible formation of nitrosamines in the presence of nitrites or reagents causing nitrosation.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Acids, nitrites, reagents causing nitrosation.

Do not use tools made of aluminium or copper or their alloys.

· 10.6 Hazardous decomposition products: Nitrogen oxides

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
CAS: 25322-68-3 Polyethylene glycol			
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rat)	
CAS: 110-97-4 1,1'-iminodipropan-2-ol			
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	> 8,000 mg/kg (rabbit)	
CAS: 102-71-6 Triethanolamine			
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	
CAS: 60-00-4 edetic acid			
Oral	LD50	> 2,000 – 4,500 mg/kg (rat)	
Inhalative	LC50/6 h	1,000 – 5,000 mg/l (rat)	
CAS: 547-58-0 sodium 4-(4-dimethylaminophenylazo)benzenesulphonate			
Oral	LD50	60 mg/kg (rat)	
Oral Dermal Oral Dermal CAS: 102- Oral Dermal CAS: 60-0 Oral Inhalative CAS: 547-	LD50 LD50 -97-4 1,1'-i LD50 -71-6 Triet LD50 LD50 0-4 edetic LD50 LC50/6 h	> 2,000 mg/kg (rat) > 2,000 mg/kg (rat) iminodipropan-2-ol > 2,000 mg/kg (rat) > 8,000 mg/kg (rabbit) hanolamine > 2,000 mg/kg (rat) > 2,000 mg/kg (rat) > 2,000 mg/kg (rat) > 2,000 mg/kg (rabbit) c acid > 2,000 – 4,500 mg/kg (rat) 1,000 – 5,000 mg/l (rat) um 4-(4-dimethylaminophenylazo)benzenesulphonate	

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)



Analysentechnik GmbH & Co. KG Wasser ist unser Element Wasser ist unser Element Analysentechnik GmbH & Co. KG Wasser ist unser Element Safety data sheet according to Regulation (EC) No 1907/2006

Printing date 15.04.2024

Version number 16 (replaces version 14)

Trade name: Durognost SR 1 Indikator

(Contd. of page 6)

Revision: 15.04.2024

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void

(Contd. on page 8)

Revision: 15.04.2024



Analysentechnik GmbH & Co. KG Wasser ist unser Element Wasser ist unser Element Analysentechnik GmbH & Co. KG Wasser ist unser Element Safety data sheet according to Regulation (EC) No 1907/2006

Printing date 15.04.2024

Version number 16 (replaces version 14)

Trade name: Durognost SR 1 Indikator

	(Contd. of page
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accordin IMO instruments	n g to Not applicable.
· Transport/Additional information:	Not dangerous according to the abov specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals

 None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX (Ozone- depleting potential)

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

(Contd. on page 9)



Analysentechnik GmbH & Co. KG Wasser ist unser Element Wasser ist unser Element Analysentechnik GmbH & Co. KG Wasser ist unser Element

Printing date 15.04.2024

Version number 16 (replaces version 14)

Trade name: Durognost SR 1 Indikator

(Contd. of page 8)

Revision: 15.04.2024

Employment restrictions concerning pregnant and lactating women must be observed.

· Technical instructions (air):

Class	Share in %
1	<i>≤</i> 1
NK	2.5 – 10

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

- · Department issuing SDS: product safety department
- · Date of previous version: 07.05.2021
- · Version number of previous version: 14
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.